

zummo

COMMERCIAL JUICERS

Squeeze the perfect juice



Specialists in squeezing limes and lemons

With our unique system and our different size kits, squeezing limes and lemons has never been easier.



Perfect as part
of your recipes,
fresh cocktails,
and juices.

Discover all our products.

Food Service



Z22



Z1 Nature



Z14 Nature



Viva



Z06 Nature



Z40 Nature LM


Retail



Z14 Nature Service Cabinet



Z40 Nature Adapt Service Cabinet Plus



Z40 Nature Adapt Max Cabinet Plus

MACHINES

MACHINES

EVS[®] Advanced

The heart of our extraction system

Our exclusive vertical juicing system, EVS[®] is the essence of our juicers, and it is what sets us apart: flavor, purity and yield in every movement.

EVS[®]  ADVANCED

Efficient Vertical System (EVS) is what makes us different. EVS gives you the most natural juice and with the purest possible taste, no acids, or oils from peel in the juice. It will maximize the yield per fruit, the juicer efficiency, and your business profitability.

More pure and natural juice

The oils that are naturally present in the peel of the fruit never enter into contact with the juice or with the parts that make up the juice extraction kit.

Maximum efficiency

It prevents jamming caused by peel, and it minimises splashes and pulp waste that might be generated, further facilitating the cleaning process.

1



The fruit drops from the basket to the cup.

2



The cups rotate 90° around their own axis, and the fruit is cut vertically.

3



Each cup houses one half of the fruit and continues to rotate up to 180°.

4



The cut fruit is pressed vertically against the balls and the juice obtained goes directly to the container.

Why choose Zummo

We are convinced to say we squeeze the best juice.



Efficient Vertical System is what makes us mark the difference. EVS makes the juice obtained the most natural and with the purest possible taste, while maximizing efficiency and profitability.




DOUBLE FUNCTIONALITY

This is a unique and exclusive Zummo feature. This double functionality will allow you to operate the machine with the self-service mode and back of the house production with the 2 gallons tank to pre-bottle your juice for grab-n-go applications. This equipment will give you the flexibility to adapt to your operating needs.



CAPACITY

26,4-gal capacity waste basket. Maximum autonomy for the user. Distributed in 2 containers, it facilitates the handling by keeping the waste in manageable size. Reducing the time needed for operator to empty waste baskets.



FEEDER

It feeds the machine fruit by fruit, adapting to the size of each piece, avoiding jams and providing total autonomy to the machine.



CLOSED CHAMBER

Integral coupling system that combines usability with the highest possible tightness and protection of the system. In this way, any external contaminants is prevented from entering the squeezing area.



AUTO SELF-CLEANING FILTER

The filter, which is totally integrated into the machine, starts moving when the equipment is activated and sweeps the seeds and pulp that may remain on the filter after the squeezing process. Giving the operator continuous operational time.



SIMPLE CLICK

With this coupling system, the squeeze balls are assembled and disassembled in one single movement.



With our unique squeezing system, as well as our different size kits that adapt to each fruit, squeezing limes and lemons has never been easier.

We squeeze all types of citrus fruits such as limes, lemons, oranges, grapefruit, and tangerines, and additionally pomegranates. We cover all ranges from 1,6" to 4" in diameter.

Specialist
in all citrus



Squeezing kits




Our juicing kits cover a wide juice extraction range, from 1,6" to 4" Ø. Each and every one of them are designed to extract juice from any type of citrus fruit and pomegranates.

Kit S: for limes, tangerines, small oranges and small lemons.

Kit M: for standard oranges and lemons.

Kit L: for large oranges, large lemons, grapefruit, and pomegranates.

Kit XL: for grapefruit, and pomegranates.



AUTO **Auto cleaning filter**

It has a direct impact on the high performance of the juicers. Fully integrated into the machine, it starts moving when the juicer is activated, sweeping any seeds and pulp that may remain on the filter after the juicing process.



Closed Chamber

Closed Chamber is a concept of integral connection of the parts that make up the juicer. This system combines usability with the greatest possible hermeticity and protection of the juicer system, as it prevents the entry of external agents, guaranteeing maximum safety for the consumer.

EasyClean

The juice extraction process has been developed to minimise splashing of the squeezed fruit, reduce the pulp residues generated and avoid clogging of the peel. In addition, the cleaning process of the parts is very easy and intuitive, providing great usability to the operator and maximising autonomy.



SimpleClick

New ball locking system with just one movement, standard on all versions of the Z14 Nature model.



Food Service



AVAILABLE COLORS



Ref. Z1-NBE



Ref. Z1-NBR



Ref. Z1-NOR

Type of fruits:



TECHNICAL FEATURES

Voltage	100-240V 50/60Hz
Fruits per minute	10
Feeder	3,30 lbs
Programmer	Yes
Bin capacity	1,32 gal
Safety	Blocking sensors
Squeezing kits	M: 2,16"-2,95". S: Opt.: 1,64"-2,36"
Weight	79,4 lbs
Dimensions	13" (h) x 34,34" (w) x 16,54" (l)
Mode	Auto/Manual
Standby system	Yes
IoT	Yes
Colors	Savannah Brown, Midnight Black, Forest Green

ACCESSORIES

Squeezing kits

Medium: Beige: 250515A-15
Black: 250515A-18
· Ø 2,16"-2,95"

Small: Beige: 250516A-15
Black: 250516A-18
· Ø 1,64"-2,36"



NEW

Zummo Cloud

Geolocation
Locate and monitor your equipment to ensure the correct use of your Juicer from anywhere.

Productivity metrics
Increase the profitability of your business, knowing the consumption data, time of day, servings, size of serving, among others.

Status indicators
With programmable status alerts you can rest assure that your Viva will be ready for your demands of your busy juice operation.

Preventive and predictive maintenance
Zummo cloud will guide you and give you maintenance alerts and will help you troubleshoot your juice, thanks to the constant monitoring of the most important parameters.



Viva NEW

A new concept in citrus squeezing has arrived



Features

A new concept in citrus squeezing has arrived. Viva brings new value to your establishment, an innovative concept that combines design with the most cutting-edge technology.

With our intuitive system, the EVS squeezing kit is grouped into a single block minimizing the number of parts. Easily assemble and disassemble in one easy movement. Save time and turn it into profit.

Up to 3,30 lbs of fruit in the minimum space. Its sloping design makes it easy to load the fruit and makes it highly visible, creating an eye-catching equipment in your business.

Recommended for bars, -restaurants, cafes and in general food service establishments with low consumption up to 30 juices a day.

Squeezing kits

Included: Medium(M): Beige

Optional: Small (S): Brown.

- 79,4 lbs
- 2,16"-2,95". Opt.: 1,64"-2,36"
- 13" (h) x 34,34" (w) x16,54" (l)

NEW

Zummo Cloud



10 Fruits per minute

3,30 lbs Feeder

1,32 gal Bin capacity

Available colors



EVS
EFFICIENT VERTICAL SYSTEM



EQS
EXCHANGE QUICK SYSTEM



Consumption



Type of fruit



Z1 Nature

The perfect option for small spaces



Features

Average yield: 3 oz. per orange.

Ideal for: small establishments, bakeries, cafes, and bars where fresh orange juice is needed but space is premium.

Recommended for premises with low consumption. Up to 30 juices per day.

Squeezing kits

Included: Medium(M): Orange

Optional: Large (L): Maroon.

- 143 lbs
- 2,16"-2,95". Opt.: 2,55"-3,54"
- 26.69"(h) x 13.62"(w) x 15.31"(l)

*Basket not included.

6,5 Fruits per minute

2,2 lbs Feeder

2,38 gal Bin capacity

Available colors



Consumption



Type of fruit



AVAILABLE COLORS



Ref. Z1-NBE



Ref. Z1-NBR



Ref. Z1-NOR



Ref. Z1-NGP

Type of fruits:



TECHNICAL FEATURES

Voltage	120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
Fruits per minute	6,5
Feeder	2.2 lbs
Programmer	Yes
Bin capacity	2.38 gal
Safety	Blocking sensors
Squeezing kits	M: 2,16"-2,95". Opt. L: 2,55"-3,54"
Weight	65 lbs
Dimensions	26.69"(h) x 13.62"(w) x 15.31"(l)
Automatic	Yes
Standby system	Yes

ACCESSORIES

Bins

- ¹ Ref. 1903008A-1
- ² Ref. 1903008A-2
- ³ Ref. 1903008A-3
- ⁴ Ref. 1903008A-4



Large cup kit

Ref. 1908020A-12

· Ø 2.56"-3.54 "



Basket

Ref. 1902016

· Stores up to 5.5 lbs of fruit



AVAILABLE COLORS



Ref. Z06-NOR



Ref. Z06-NBR



Ref. Z06-NGP



Ref. Z06-NBE



Ref. ZI06-N



TECHNICAL FEATURES

Voltage	120 V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
Fruits per minute	10
Basket capacity	13.23 lbs
Feeder	3.3 lbs
Programmer	Yes
Filter	Automatic
Bins capacity	5.81 gal
Safety	Blocking sensors
Squeezing kits	M: 2.16"-2.95" / L: 2.75"-3.54". Opt S: 1.77-2.36"
Weight	116 lbs
Dimensions	31.89"(h) x 21.33"(w) x 16.81"(l)
Automatic	Yes

ACCESSORIES

Small cup kit
Ref. 0505026

· Ø 1.77"- 2.36"



Peel collection drawer
Ref. 0509001-N



· Capacity: 10.3 gal
· Weight: 33.07 lbs
· 10.87"(h) 20"(w) x 17,13" (l)

Stainless steel chutes
Ref. 0508041



Z06

Z06 Nature

Versatility in its purest state



Features

Fast Return on Investment. Profitable just at 10 glasses a day in average.

Ideal for: premises, such as bars, restaurants and fast casual.

Recommended for locations with a medium consumption needs in the range of 30-50 juices per day.

Squeezing kits

Included: Medium (M): Orange; Large (L): Maroon.

Optional: Small (S): Grey

- 116 lbs
- 2.16"-2.95" / 2.75"-3.54" Opt.:1.77-2.36"
- 31.89"(h) x 21.33"(w) x 16.81"(l)

10 Fruits per minute

3,3 lbs Feeder

5,81 gal Bins capacity

Available colors



¹ Stainless steel bins or chutes



Consumption



Type of fruits



Z14 Nature

Endless possibilities for your business



Features

Ideal for: premises, such as restaurants, cafes, bakeries, diners and bakeries along with hospitals and care facilities.

Recommended for locations with a medium-high consumption needs in the range of 50-100 juices per day.

Ability to perform for small production and self serve with optional 1 gal tank attachment and/or our self serve tap for customer operation.

Squeezing kits

Included: Medium(M): Orange;
Large (L): Maroon.

- 129 lbs
- 2,16"-2,95" / 2,75"-3,54"
- 32.36" (h) 18.82" (w) 18.11" (l)

16 Fruits per minute



Consumption



20 lbs Basket capacity



Type of fruits



3,7 gal Bins capacity



Available colors



¹ Stainless steel bins or chutes

AVAILABLE COLORS



Ref. Z14-NGP



Ref. Z14-NOR



Ref. Z14-NBR



Ref. Z14-NBE



Ref. Z14-N

Type of fruits:

TECHNICAL FEATURES

Voltage	120 V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
Fruits per minute	16
Basket capacity	20 lb. Optional size 35 lbs
Programmer	Yes
Filter	Automatic
Feeder	Automatic
Bins capacity	3.7 (2 x 1.85) gal
Safety	Blocking sensors
Squeezing kits	M: 2.16" - 2.95" / L: 2.75" - 3.54"
Weight	129 lbs
Dimensions	32.36" (h) 18.82" (w) 18.11" (l)

ACCESSORIES

Adapt Tray
Ref. 1405055A-1



Cabinet G
Ref. MDCESP14-N



Cabinet Slim Service
Ref. MS14-N50



Hopper Basket 35 lbs
Ref. 1403026A-1



Tank
Ref. 1408056A-5

· Capacity: 1 gal






· 30.71" (h) x 19.69" (w) x 23.62" (l) ·
· Weight: 75 lbs

Z40 Nature Adapt
Ref. Z40-N

Z40 Nature LM
Ref. Z40-N-LM



-  Lemons
-  Limes



Stainless steel chutes
Ref. 210932A



TECHNICAL FEATURES

Voltage	120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
Fruits per minute	40/25
Basket capacity	44 lb
Programmer	Blocking sensors
Filter	Automatic
Feeder	Automatic
Operating modes	Automatic programmer and Self Service
Bins capacity	7.93 gal (2 x3.96 gal)
Safety	Blocking sensors
Squeezing kits	M: Ø 2.1"-3" cup kit. Optional: L: Ø 2.5"-3.5" XL: Ø 3"-4" S: Ø 1.6"-2.4"
Weight	180 lbs
Dimensions	38.58"(h) x 23.43"(w) x 21.65"(l)

ACCESSORIES

Large squeezing kit
Ref. 210536A-12

· Ø 2.5"-3.5"



Extra-large squeezing kit

Ref. 210537A-13


· Ø 3"-3.9"



S squeezing kit

Ref. 210332A

· Ø 1.6"-2.4"



Full tank

Ref. 210816D-5

· Tank of 2 gal



Z40

Z40 Nature

Speed and efficiency combined



Features

Ideal for establishment with high volume consumption or production facilities such commissary kitchens, restaurants, cafes, bakeries, diners, retail stores along with hospitals and bottling operations where fresh Juice demands are high. Z40-N-LM model is the most efficient lime/lemon squeezer in the market.

Recommended for premises with a high consumption. More than 100 juices per day or peaks of high demand.




Optional 2 gal tank can be added for high production needs.

Z40 Squeezing kits

Included: Medium (M): Orange
Optional: Small (S): Grey; Large (L): Maroon Extra large (XL): Pink

Z40 LM Squeezing kits

Included: Medium (M): Orange
Large (L): Yellow
Optional: Small (S): Grey; Orange;
Extra large (XL): Pink

-  180 lbs
-  2,1"-3". Opt.: 1,6"-2,4"/ 2,5"-3,5"/ 3"-4"
-  38.58"(h) x 23.43"(w) x 21.65"(l)

40/25 Fruits per minute



Consumption



44 lbs Basket capacity



Type of fruits



7.93 gal Bins capacity



Z22 Juice Extractor

Silent and continuous service



Features

Easy cleaning in less than 5 minutes.



Up to half gallon of juice per minute.

Ability to squeeze fruits up to 2,95"

Quiet machine. Noise-neutralizing rubber base.

Magnetic disc and filter attachment.

Aluminium body and stainless steel bowl.

 41 lbs
 11.42" (h) 17.24" (w) x 20.16" (l)

800 W Power



3600 RPM



2,38 gal Bin Capacity



Technical features

Voltage	120 V - 60 Hz / 220 V - 50 Hz
Power	800 W
Energy consumption	275 W
Rpm	3600 Rpm
Weight	41 lbs
Bin capacity	2.38 gal
Dimensions	11.42" (h) 17.24" (w) x 20.16" (l)
Diameter	2,95"



Connected Range



Z14 Nature

The easiest way to drink juice



Z14 Contactless Make it easier

This version of Z14 Nature has the latest technology in cashless payment systems. When payment is made, the machine is activated, squeezing the juice instantly without the need to touch the juicer at any time.



Z14 Select Choose your product

With Z14 Nature Select you can choose how to serve your clients, whether you want to serve them in a glass or in a bottle, and even the size of the container. By using the touch screen selector or by scanning a barcode directly with the integrated Scanner, you can place that code on the container or on a receipt or voucher.

The juicer will recognize the product and squeeze out the right number of fruits to fill the packaging.

Squeezing kits

Included: Medium(M): Orange;
Large (L): Maroon.

- 129 lbs
- 2,16"-2,95" / 2,75"-3,54"
- 33.36" (h) 18.82" (w) 18.11" (l)

16 Fruits per minute

20 lbs Basket capacity

3,7 gal Bins capacity

Available colors



¹ Stainless steel bins or chutes



Consumption



Type of fruits



Z14 Nature Contactless

Ref. Z114x16TA**

TECHNICAL FEATURES

- Voltage: 120 V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 16
- Basket capacity: 35 lbs
- Programmer: Yes
- Filter: Automatic
- Bins capacity: 4.8 gal
- Weight: 133 lbs
- 35.51"(h) x 18.82 "(w) x 19.09"(l)
- Stainless steel bins
- Payment system: Nayax VPOS Touch|Nayax VPOS| Without payment system
- Protocol: Pulse|MDB
- Safety: Blocking sensors



Z14 Nature Select

Ref.Z114x16TA-N-OTG

TECHNICAL FEATURES

- Voltage: 120 V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 16
- Basket capacity: 35 lbs
- Programmer: Yes
- Filter: Automatic
- Bins capacity: 4.8 gal
- Weight: 130 lbs
- 33.36"(h) x 18.82 "(w) x 18.11"(l)
- Touch screen: Up to 4 sizes
- Safety: Blocking sensors
- Stainless steel bins

Barcode reader



Integrated barcode reader connected to the juicer will allow size identification with no physical contact. Our Zummo contactless will squeeze the pre-programmed number of fruits once it reads the barcode. Zero contact ensuring highest sanitation.

· Suitable for Z14 Nature Select

Touch screen



With an intuitive interface developed specifically and exclusively for Z14 Select.

Our Zummo Select will give you the option of up to 4 different sizes to choose from, completely programmable you can give your client options by type (cup or bottle) or by size (S, M, L and XL).

Payment device



Get your freshly squeezed juice without touching the equipment at any time.

Touchless credit card payment system will allow user to pay and serve themselves without touching the equipment guaranteeing the freshest juice with a sanitary operation. Available with pulse protocol or MDB.



Z14 Nature Self Service Contactless Cabinet G slim
Ref. CGC14x16TA-N50-P

TECHNICAL FEATURES

- Voltage: 120 V – 60 Hz. 230 V – 50 Hz. 220 V – 60 Hz.
- Fruits per minute: 16
- Basket capacity: 35 lbs
- Payment system: Nayax VPOS Touch|Nayax VPOS| Without payment system
- Protocol: Pulse|MDB
- Tap which activates the machine
- Waste storage: Basket 15 gal capacity
- Weight: 200 lbs
- 62.99"(h) x 19.69 "(w) x 23.62"(l)
- Stainless steel cabinet
- Gastronorm tray



Z14 Nature Select Cabinet G Slim
Ref. CC14x16TA-N50-OTG

TECHNICAL FEATURES

- Voltage: 120 V – 60 Hz. 230 V – 50 Hz. 220 V – 60 Hz.
- Fruits per minute: 16
- Basket capacity: 35 lbs
- Waste: Basket 15 gal capacity
- Weight: 224 lbs
- 64.76"(h) x 19.69 "(w) x 23.62"(l)
- Stainless steel cabinet
- Gastronorm tray

ACCESSORIES

Adapt Tray
Ref. 1405055A-1



Hopper basket 20 lbs
Ref. 1403024B-1

- Capacity of 20 lbs of fruit



Z14 Nature Cabinet

Are you ready for go?



Features

Ideal for C-Stores, lounges and corporate offices that needs extended waste capacity and wants to give your customer options on size and interaction type.

Recommended for locations with a medium-high consumption needs in the range of 50-100 juices per day.

Ability to serve either via touch screen to select product size, by scanning into a barcode reader for a more touchless operation or by automatic payment system.

Squeezing kits

Included: Medium (M): Orange;
Large (L): Maroon

- 180 lbs
- 2,16"-2,95" / 2,75"-3,54"
- 38,60" (h) x 23,40" (w) x 21,65" (d)

16 Fruits per minute



Consumption



20 lbs Basket capacity



Type of fruits



3,7 gal Waste capacity



Retail





Z14 Nature Self Service Cabinet G 50
Ref. CC14-N50



Z14 Nature Service Cabinet
Ref. CS14C-N50

Type of fruits:



TECHNICAL FEATURES

- Voltage: 120 V – 60 Hz. 230 V – 50 Hz. 220 V – 60 Hz.
- Fruits per minute: 16
- Basket capacity: 20 lbs
- Tap which activates the machine
- Waste: Basket 15 gal capacity
- Weight: 224 lbs
- 64.76"(h) x 19.69 "(w) x 23.62"(l)
- Stainless steel cabinet
- Gastronorm tray

TECHNICAL FEATURES

- Voltage: 120 V – 60 Hz. 230 V – 50 Hz. 220 V – 60 Hz.
- Fruits per minute: 16
- Basket capacity: 20 lbs
- Tank: 1 gal
- Waste storage: Basket 15 gal capacity
- Weight: 242 lbs
- 62,99"(h) x 19,69"(w) x 30,11"(l)
- Stainless steel cabinet

ACCESSORIES

Adapt Tray
Ref. 1405055A-1



Tank
Ref. 1408056A-5

- Capacity: 1 gal



Hopper Basket 35 lbs
Ref. 1403026A-1

- Capacity of 35 lbs of fruit



Z14 Nature Cabinet

Speed and efficiency combined



Features

Ideal for smaller grocery and retail outlets that needs extended waste capacity. You can create a self-service option or place behind counter for a more personalized service by having an operator serve the customer.

Recommended for locations with a medium-high consumption needs in the range of 50-100 juices per day.

Ability to produce a small batch or one serving at time; with optional 1 gal tank attachment and/or our self-serve tap for customer operation.

Squeezing kits


Included: Medium (M): Orange;
Large (L): Maroon

- 493 lbs
- 2,16"-2,95" / 2,75"-3,54"
- 64.76"(h) x 19.69 "(w) x 23.62"(l)

16 Fruits per minute



Consumption



20 lbs Basket capacity



Type of fruits



15 gal Waste capacity



Z14

Z14

Z40 Nature ADAPT

Maximum yield for continuous service



Features

Ideal for Supermarkets, commissary kitchens, high traffic areas with food service and retail operations You can create a self-service option with a bottle rack for easy access and convenience or pre-bottle your juice for grab-n-go applications.

Recommended for locations with a high consumption needs in the range of 100 plus serving of juices per day.

Ability to produce large batches with the 2-gal tank attachment and/or our self-serve tap for customer driven operation with our adapt tray.

Squeezing kits

Included: Medium (M): Orange
 Optional: Small (S): Grey; Large (L): Maroon
 Extra large (XL): Pink

- 270 lbs
- 2,1"-3". Opt.: 1,6"-2,4"/ 2,5"-3,5"/ 3"-4"
- 69,37"(h) x 31,5"(w) x 23,62-26,73"(l)

40/25 Fruits per minute

44 lbs Basket capacity

29 gal Waste capacity



Consumption




Type of fruits



Z40 Nature Adapt Service Cabinet Plus

Ref.CS40-N80


- Voltage: 120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 40
- Basket capacity: 44 lbs
- Tank: 2 gal
- Waste capacity: 29 gal
- Squeezing kits: **M:** Ø 2.1"-3" cup kit. Optional: **L:** Ø 2.5"-3.5" **XL:** Ø 3"-4" **S:** Ø 1.6"-2.4"
- Weight: 270 lbs
- 69,37"(h) x 31,5"(w) x 26.73"(l)
- Stainless steel cabinet



Z40 Nature Adapt Service Cabinet Plus LM

Ref.CS40-LM-N80

- Voltage: 120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 25
- Basket capacity: 44 lbs
- Tank: 2 gal
- Waste capacity 29 gal
- Squeezing kits: **M:** Ø 2.1"-3" cup kit. Optional: **L:** Ø 2.5"-3.5" **XL:** Ø 3"-4" **S:** Ø 1.6"-2.4"
- Weight: 270 lbs
- 69,37"(h) x 31,5"(w) x 26.73"(l)
- Stainless steel cabinet





Z40 Nature Adapt Max Cabinet Plus
Ref. CV40C-N80

- Voltage:120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 40
- Basket capacity: 44 lbs
- Adapt tray: Automatic programmer or Self Service
- Waste capacity: 17 gal (2x8.5 gal)
- Storage: 2 baskets with wheels
- Squeezing kits: **M:** Ø 2.1"-3" cup kit. Optional: **L:** Ø 2.5"-3.5" **XL:** Ø 3"-4" **S:** Ø 1.6"-2.4"
- Weight: 270 lbs
- 69,37"(h) x 31,5"(w) x 23.62-26.73"(l)
- Stainless steel cabinet

Type of fruits:



Z40 Nature Service Max Cabinet Plus
Ref. CV40C-N80 + 210816E-5

- Voltage:120V - 60 Hz. 230 V - 50 Hz. 220 V - 60 Hz.
- Fruits per minute: 40
- Basket capacity: 44 lbs
- Tank: 2 gal
- Waste capacity: 17 gal (2xw8.5 gal)
- Storage: 2 baskets with wheels
- Squeezing kits: **M:** Ø 2.1"-3" cup kit. Optional: **L:** Ø 2.5"-3.5" **XL:** Ø 3"-4" **S:** Ø 1.6"-2.4"
- Weight: 270 lbs
- 69,37"(h) x 31,5"(w) x 23.62-26.73"(l)
- Stainless steel cabinet



ACCESSORIES

Large squeezing kit
Ref. 210536A-12

- Ø 2.5"-3.5"



Extra-large squeezing kit
Ref. 210537A-13

- Ø 3"-3.9"



S squeezing kit
Ref. 210332A

- Ø 1.6"-2.4"



Full tank
Ref. 210816D-5

- Tank of 2 gal



Bottle rack
Ref. 0316004-N



- Can be installed on either side of the cabinet
- Suitable for all* cabinet units
- 29.72"(h) x 13.58"(w) x 23.62"(l)
- Weight: 16 lbs

Service Plus cabinet
MSP40 2.0



- Suitable for the Z40 Service model
- 30.71"(h) x 31.5"(w) x 23.62"(l)
- Weight: 114 lbs
- Waste capacity: 29 gal

Max cabinet
Ref. MVP40



- Suitable for the Z40 and Z40 Self Service models
- 30.71"(h) x 31.5"(w) x 26.73"(l)
- Weight: 106 lbs
- Storage: 2 baskets with wheels
- Waste capacity 17 gal (2x8.5 gal)

¹ Top drip tray included

Comparative sheet



MODEL	Viva	Z1 Nature	Z06 Nature	Z06 Nature Compact	Z14 Nature	Z14 Nature Inox
-------	------	-----------	------------	--------------------	------------	-----------------

	Viva	Z1 Nature	Z06 Nature	Z06 Nature Compact	Z14 Nature	Z14 Nature Inox
Filter	Self cleaning	0.16"	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning
Safety	Yes	Yes	Yes	Yes	Yes	Yes
Deposit	-	-	-	-	-	-
Tap	-	-	-	-	-	Optional
G Gastronorm	-	-	-	-	-	-
Feeder 16	-	-	-	-	-	-

	Viva	Z1 Nature	Z06 Nature	Z06 Nature Compact	Z14 Nature	Z14 Nature Inox
Dimensions	26.69"(h) x 13.62"(w) x 15.31"(l)	26.69"(h) x 13.62"(w) x 15.31"(l)	31.89"(h) x 21.33"(w) x 16.81"(l)	42.76"(h) x 20"(w) x 17.48"(l)	32.36"(h) x 18.82"(w) x 18.11"(l)	34.13"(h) x 18.82"(w) x 19.21"(l)
Feeder	3.3 lbs	3.3 lbs	13.23 lbs	13.23 lbs	20 lbs	20 lbs
Weight	79,4 lbs	65 lbs	116 lbs	138 lbs	129 lbs	134 lbs
Peel collection capacity	1,39 gal	2.38 gal	5.81 gal	10.3 gal	3.7 gal	4,8 gal

	Viva	Z1 Nature	Z06 Nature	Z06 Nature Compact	Z14 Nature	Z14 Nature Inox
Consumption	165 /200W stand by 2W	165 W stand by 1.8 W	275 W	275 W	275 W	275 W
Fruits per minute	10	6.5	10	10	16	16
Suitable sizes	1.77"-3.54"	2.16"- 3.54"	1.77"-3.54"	1.77"-3.54"	1.77"-3.54"	1.77"-3.54"
kits	S/M	M/L	S/M/L	S/M/L	M/L	M/L
Type of fruit						



Z14 Nature Service Cabinet	Z14 Nature Contactless	Z14 Nature Select	Z40 Nature Adapt	Z40 Nature Adapt LM	Z40 Nature Adapt Service Cabinet Plus	Z40 Nature Adapt Max Cabinet Plus
----------------------------	------------------------	-------------------	------------------	---------------------	---------------------------------------	-----------------------------------

	Z14 Nature Service Cabinet	Z14 Nature Contactless	Z14 Nature Select	Z40 Nature Adapt	Z40 Nature Adapt LM	Z40 Nature Adapt Service Cabinet Plus	Z40 Nature Adapt Max Cabinet Plus
Filter	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning	0.12" Self cleaning
Safety	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Deposit	-	-	-	-	-	2 gal	Optional 2 gal
Tap	Yes	Yes	-	Yes	Yes	-	-
G Gastronorm	-	-	-	-	-	-	-
Feeder 16	Yes	20 lbs	20 lbs	-	-	-	-

	Z14 Nature Service Cabinet	Z14 Nature Contactless	Z14 Nature Select	Z40 Nature Adapt	Z40 Nature Adapt LM	Z40 Nature Adapt Service Cabinet Plus	Z40 Nature Adapt Max Cabinet Plus
Dimensions	62.99"(h) x 19.69"(w) x 30.11"(l)	35.51"(h) x 18.82"(w) x 19.09"(l)	32.36"(h) x 18.82"(w) x 18.11"(l)	38.58"(h) x 23.43"(w) x 21.65"(l)	38.58"(h) x 23.43"(w) x 21.65"(l)	69.37"(h) x 31.5"(w) x 26.73"(l)	69.37"(h) x 31.5"(w) x 23.62-26.73"(l)
Feeder	20 lbs	35 lbs	35 lbs	44 lbs	44 lbs	44 lbs	44 lbs
Weight	242 lbs	133 lbs	130 lbs	180 lbs	180 lbs	270 lbs	270 lbs
Peel collection capacity	15 gal	4.8 gal	4.8 gal	7.93 gal	7.93 gal	17 gal	17 gal

	Z14 Nature Service Cabinet	Z14 Nature Contactless	Z14 Nature Select	Z40 Nature Adapt	Z40 Nature Adapt LM	Z40 Nature Adapt Service Cabinet Plus	Z40 Nature Adapt Max Cabinet Plus
Consumption	275W	275W	275W	410 W stand by 2.4 W	410 W stand by 2.4 W	410 W stand by 2.4 W	410 W stand by 2.4 W
Fruits per minute	16	16	16	40	25	40	40
Suitable sizes	1.77"-3.54"	2.16"-3.54"	2.16"-3.54"	2.09"- 3.94"	2.09"- 3.94"	2.09"- 3.94"	2.09"- 3.94"
kits	M/L	M/L	M/L	S/M/L/XL	S/M/L/XL	S/M/L/XL	S/M/L/XL
Type of fruit							



Investment recovery time

"The Zummo automatic juicers for the food service and Retail line are global references in their sectors, because they incorporate a series of features that make them unique"

Parameters		Glasses per day		
Price per case	\$30	20	40	60
Oranges per case	100			
Oranges per glass	4			
Volume per glass	12 oz			
Cost of the machine*	\$6.200			
Glass selling price	\$6			
Time to prepare a hand made juice	2.5min			
		Results		
Monthly cost	600	1200	1800	
Monthly income	3600	7200	10800	
Net profit	2880	5760	8640	
IRT (months)	2.5	1	1	
Monthly time saving for operator	25 hours	50 hours	62 hours	

Profit= INCOME-COST
 INCOME= (#Glasses sold) x (Price x glass)


$$COST = \frac{Cost \times case}{\#Glasses \times case}$$

 # GLASSES X CASE=# Oranges x case/ # oranges x glasses

INVESTMENT RECOVERY TIME

$$I.R.T. = \frac{PRICE \text{ OF JUICER}}{PROFIT}$$

PAYBACK CALCULATOR



EN

M031222/22-1



zummo
COMMERCIAL JUICERS